

East Building, PHH – 30

1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

## Pipeline and Hazardous Materials Safety Administration

DOT-SP 7607 (FIFTEENTH REVISION)

EXPIRATION DATE: 2024-02-29

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Thermo Fisher Scientific (Former Grantee Thermo Environmental Instruments) Franklin, MA

## 2. PURPOSE AND LIMITATIONS:

- a. This special permit authorizes the manufacture, marking, sale and use of a non-DOT specification cylinder for the transportation in commerce of hydrogen, compressed by passenger carrying aircraft. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
- b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.101 Column (9A) in that hydrogen is forbidden on passenger aircraft and § 173.306 in that non-DOT specification cylinders are not authorized, except as provided herein.
- 5. <u>BASIS</u>: This special permit is based on Thermo Fisher Scientific's application dated February 18, 2020 submitted in accordance with § 107.105 and the public preceding thereon.

## 6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group
Hydrogen, compressed*	2.1	UN1049	N/A

<sup>\*</sup> Only one unit in case and one spare may be transported under the terms of this Special Permit (as described on file with Office of Hazardous Materials Special Permits and Approvals (OHMSPA)).

# 7. <u>SAFETY CONTROL MEASURES</u>:

- a. PACKAGING Packaging prescribed is a non-DOT specification seamless stainless steel cylinder of not more than 7.22 cubic inches water capacity. Each cylinder must be pressure tested to at least 4000 psig without leak or failure, and charged to not more than 2200 psig at 70°F. The cylinder is a component of a flame ionization detector and must be manufactured as shown on the drawing identifying Part# CR011WC for the TVA1000B cylinder and Part# 114012-00 for the TVA2020 cylinder, on file with the Office of Hazardous Materials Special Permits and Approvals (OHMSPA). The device must be appropriately secured to prevent movement during transportation.
- b.  $\underline{\text{MARKING}}$  The outside of each package must be plainly and  $\underline{\text{durably}}$  marked "DOT-SP 7607".
- c. OPERATIONAL CONTROLS Each device must be shipped in a strong outside packaging as prescribed in § 173.301(a)(9).

## 8. SPECIAL PROVISIONS:

a. In accordance with the provisions of Paragraph (b) of § 173.22a, persons may use the packaging authorized by this special permit for the transportation of the hazardous materials specified in paragraph 6, only in conformance with the terms of this special permit.

- b. A person who is not a holder of this special permit, but receives a packaging covered by this special permit, may reoffer it for transportation provided no modification or change is made to the packaging and it is offered for transportation in conformance with this special permit and the HMR.
- c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.
- d. Each packaging manufactured under the authority of this special permit must be either (1) marked with the <u>name of the manufacturer and location (city and state) of the facility at which it is manufactured</u> or (2) marked with a <u>registration symbol</u> designated by the Office of Hazardous Materials Special Permits and Approvals <u>for a specific manufacturing facility</u>.
- e. A current copy of this special permit must be maintained at each facility where the packaging is manufactured under this special permit. It must be made available to a DOT representative upon request.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Passenger-carrying aircraft.

#### 10. MODAL REQUIREMENTS:

- a. A current copy of this special permit must be carried aboard each aircraft used to transport packages covered by this special permit. The shipper shall furnish a current copy of this special permit to the air carrier before or at the time the shipment is tendered.
- b. The pilot-in-command must be advised when the device is placed on board the aircraft.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
  - o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, Parts 171-180.

- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by  $$107.601 \text{ } \underline{\text{et seq.}}, \text{ when applicable.}$

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when the special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)- 'The Hazardous Materials Safety and Security Reauthorization Act of 2005' (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

Jak Ly

for William Schoonover

Associate Administrator for Hazardous Materials Safety

March 24, 2020

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, Department of Transportation, Washington, D.C. 20590. Attention: PHH-31.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at <a href="http://hazmat.dot.gov/sp app/special permits/spec perm index.htm">http://hazmat.dot.gov/sp app/special permits/spec perm index.htm</a>
Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: KFW:mb